
American Standard

BERWICK® ON/OFF & VOLUME CONTROL VALVES



GENERAL DESCRIPTION:

Cast brass valve body. Amarilis washerless ceramic disc valve cartridge. Choice of 1/2" or 3/4" NPT inlets and outlets. Trim is brass construction.

PRODUCT FEATURES:

Brass Construction: Durable - Excellent in high use applications. Ideal for prolonged contact with water.

Ceramic Disc Valve Cartridge: Assures a lifetime of drip-free performance.

SUGGESTED SPECIFICATION:

In-wall single valve shall feature a cast brass valve body. Model R701 shall feature combination 1/2" NPT threaded and direct sweat inlets. 1/2" NPT female outlet. Model R711 shall feature 3/4" female inlet. 3/4" male outlet. Shall also feature 1/4 turn washerless ceramic disc valve cartridges. Trim shall be constructed of brass. Fitting shall be American Standard Model # T430.70_.___ (Trim) and R7_1 (Rough Valve Body).


American Standard

BERWICK® ON/OFF & VOLUME CONTROL VALVES

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ASME A112.18.1 CSA B125.1



			Finish 0	Options
TS**	Product		Polished Chrome	PVD Satin Nickel
▼	Number	Description	002	295
MIN	T430.700	On/Off & Volume Control Valve Trim. Lever Handle. LESS Valve.		
	T430.702	On/Off & Volume Control Valve Trim. Cross Handle. LESS Valve.		

H VALVE DDIES	Product Number	Description
	R701	In-wall single valve. 1/2" inlet/outlet. Less handle.
ŭ	R711	In-wall single valve. 3/4" inlet/outlet. Less handle.

** ROUGHS AND TRIMS MUST BE ORDERED SEPARATELY.



Meets the American Disabilities Act Guidelines and **ANSI A117.1** Requirements for the physically challenged.